
# INSTALLATION AND MAINTENANCE INSTRUCTIONS



## CONTINUOUS SLEEVE FLEXIBLE GEAR COUPLINGS



- MORE HORSEPOWER WITH LESS SIZE, WEIGHT
- ASSEMBLED, UNCOUPLED IN SECONDS
- NO WRENCHES OR SPECIAL TOOLS REQUIRED
- SAFE AND SILENT AS SMOOTH SHAFTING



SIER-BATH®

2655 Wisconsin Ave.

Downers Grove, Illinois 60515-USA

•PHONE - 630-852-0500


•FAX -- 630-852-2120

TITLE

INSTALLATION AND MAINTENANCE INSTRUCTIONS

ITEM NO.

68514460805



### FOLLOW THESE SIMPLE STEPS TO CORRECTLY INSTALL THE SIER BATH FLEXIBLE GEAR COUPLING.


- STEP NO. 1 Be sure that all parts are available and are clean.
- on each shaft. IMPORTANT: Be sure that the groove in the seals face toward the center of the coupling and that the mold mark will be visible after the seals are installed in the coupling.
- ☐ STEP NO. 3 Install hubs on shafts as shown in Fig.
  ☐ or Fig. Ⅲ.

**Note:** Hubs may be installed with shaft flush with the counter bore face (Surface "X" Fig. II) or flush with the aligning face (Surface "Y" Fig. III) as long as the proper gap between hubs is maintained (STEP #5).


SHRINK FIT: Shrink fits are recommended for heavy duty or low speed applications. Be sure the key is a snug side fit in the shaft and coupling keyway with clearance on top. Install keys into shafts. Heat hubs uniformly, using hot oil or an oven, to approximately 350°F. Slip hubs on the shafts to the correct location as determined by your installation (see note above).


**PRESS FIT:** Light press fits may be used for many installations. Unless otherwise specified Sier Bath Couplings are furnished with an interference fit.


**SLIDE FIT:** Slide fits should only be used in low torque, light duty applications (set screws must be firmly tightened).




STEP	NO.	4	Engage	gear	teeth	and	slide	sleeve	over
			the hub	insta	alled o	on th	e long	gest sh	aft.












FIG Y

SIZE	GREASE	CAPACITY	APPROX. WT. LBS.	*DISTANCE BETWEEN SHAFTS			
3125	WEIGHT	VOLUME	R. BORE	G DIM. FIG. III	G¹ DIM. Fig. 11		
C%	1 oz.	⅓ Pt.	5	1/8	3/8		
C1½	1½ oz.	⅓ Pt.	8	1/8	1/2		
C2	2¾ oz.	3⁄8 Pt.	13	1/8	1/2		
C2½	5 oz.	3/4 Pt.	20	1/4	3/4		
C3	½ lbs.	11/8 Pt.	33	1/4	3/4		
C3½	3/4 lbs.	1% Pt.	63	1/4	3/4		
C4	1 lbs.	2¼ Pt.	91	1/4	3/4		
C4½	1¼ lbs.	3 Pt.	126	1/4	3/4		
C5	1½ lbs.	31/2 Pt.	195	1/4	3/4		
C6	2 lbs.	11⁄8 Qt.	267	1/4	3/4		
C7	2½ lbs.	1% Qt.	320	3/8	7/8		
C9	4½ lbs.	21/8 Qt.	520	1/2	1"		
C11	4¾ lbs.	2% Qt.	925	1/2	1"		
C12	6½ lbs.	3% Qt.	1200	1/2	1"		

\*MAY BE ANY DIMENSION BETWEEN G AND G

#### MAINTENANCE


Should your Sier Bath Series "C" coupling need to be disassembled for an alignment check, remove one snap ring, slide sleeve off hubs. Seal will be forced out of one end during this operation. Clean out old lubricant and inspect seals and gear teeth. Re-assemble starting at step #7.

To re-lubricate without disassembling coupling, remove both lube plugs and position lube holes at 45° to horizontal. Force grease into top hole until clean grease flows out of opposite hole.

Re-install plugs.

Caution: Always wear safety glasses and use the proper tools when working on machinery.





SIZE	MAX. BORE	ROUGH BORE	***MAX. SPEED UNBAL.	CAPACITY		DIMENSION IN INCHES											APPROX.
				HP/100 R.P.M.	TORQUE LB. IN.	А	В	С		D E	F	* Distance Between Shafts		н	J	К	WT., LBS. ROUGH
								Ü				G	G¹				BORE
C-%	11/4	7/16	6,000	4	2,520	31/8	35/16	2	2	11/2	1	1/8	3/8	3¾	1/8	115/16	5
C-1½	15/8	5/8	5,000	12	7,560	3¾	3¾	217/32	2%	<b>1</b> 13/ <sub>16</sub>	117/64	1∕8	1/2	419/32	3/16	21/4	8
C-2	21/8	3/4	4,200	32	20,160	41/4	43/4	29/16	31/4	21/16	19/32	1/8	1/2	47/8	3/16	3	13
C-2½	25/8	7/8	3,750	48	30,240	43/4	5½	31/16	315/16	21/4	117/32	1/4	3/4	523/32	1/4	3¾	20
C-3	31/8	13/16	3,600	80	50,400	5½	6%	3¾	43/4	2%	1%	1/4	3/4	6%	1/4	43/4	33
C-3½	35/8	11/4	2,800	140	88,200	8¾	71/2	4	5%	41/4	2	1/4	3/4	91/4	1/4	5½	63
C-4	41/8	13/4	2,400	200	126,000	9	8¾	45%	61/4	4%	25/16	1/4	3/4	9½	1/4	6½	91
C-4½	43/4	2%	2,200	292	183,960	101/4	91/2	47/8	71/4	5	27/16	1/4	3/4	10%	1/4	71/4	126
C-5	53/4	21/8	2.100	430	270,900	121/4	10¾	5¾	81/4	6	21/8	1/4	3/4	121/4	1/4	81/8	195
C-6	65%	3%	2,000	600	378,000	13	121/4	6½	91/2	6%	31/4	1/4	3/4	13%	1/4	91/4	267
C-7	71/2	411/16	1,000	950	598,500	14%	14	71/2	10½	71/4	3¾	3/8	7/8	15%	1/4	9¾	320
C-9	91/2	5%	800	2,000	1,260,000	19	161/4	81/8	12%	91/4	41/16	1/2	1	19	1/4	<b>12</b> ½	520
C-11	111/2	73/4	600	3,500	2,205,900	221/2	191/4	81%	15%	11	41/16	1/2	1	221/2	1/4	15½	925
C-12	121/2	93/4	550	4.000	2,520,000	25	201/2	8%	161/2	121/4	43/16	1/2	1	25	1/4	16	1,200

Length of one shaft must be equal to or greater than C plus G.

COUPLING

DATA

\*MAY BE ANY DIMENSION BETWEEN G AND G1

#### Coupling Grease

LOVEJOY provides high quality, high speed coupling grease for low to high-speed applications. The grease is designed to address the problems that are unique to Gear Coupling applications such as high pressure, high centrifugal force, prolonged work periods and corrosive environments.

#### Lubrication

Centrifugal separation of the oil and thickener during operation is a basic problem in Gear Coupling applications, especially high speed applications. The higher the operational speed, the greater the amount of separation can be expected, causing the soap properties in the grease to accumulate in the areas where lubrication is required. The soap does not provide adequate lubrication which results in accelerating the coupling wear. The LOVEJOY grease properties are designed to resist centrifugal separation.

Changes in consistency to address different situations is the key to successful lubrication. LOVEJOY grease is manufactured to a No. 1 consistency grade. During prolonged use, the grease will become semi-fluid. When inactive, the grease will thicken, become heavier and will not leak out of the coupling. The ability to change consistency provides successful lubrication across the complete range of requirements.

#### Contents

The LOVEJOY grease contains ingredients that have been proven to operate successfully in Gear Coupling applications. The grease contains:

- Lithium Soap
- · Highly Refined Paraffinio Mineral Oil
- Rust Inhibitors
- Anti-oxidants
- EP/Anti-wear additive

